





# Powered By Das-Kit



The Das-Kit X15F motor is long lasting, efficient, and powerful. Combined with the sleek, fully-integrated yet large capacity battery, our ET.Cycle bikes give you the ultimate feeling of freedom. Ride further, faster, without breaking a sweat.

# WHAT IT MEANS TO BE **POWERED BY DAS-KIT**



The patented design of the I5/I6 and T6/T7 controllers allows for easy cable management that runs through the bike's frame. Without the jumble of cables like other e-bike controllers, Das-Kit keeps you stress free with this low-maintenance design.





with its German designed efficiency it does all this weighing no more than 3.2kg.


even in real world conditions you will never worry about having enough power to make the trip back home.

# **ABOUT US**

# MAKE YOUR OWN RULES

At **ET.Cycle**, we've taken the spirit of American motorcycles and put it into the heart of our fat tire electric bikes. Our goal is freedom across all terrains-city, sand, trail, snow. We've engineered strong frames and powerful drive systems and motors to open up the city and the country to your imagination. Give your attitude an extra charge.





# **DEVELOPING FAT-TIRE EBIKES SINCE 2014**

ET.Cycle is the rebellious child in our family of ebikes, full of energy and the passion to explore the great outdoors. Founded in 2014 in Hanover, Germany, ET.Cycle took a decade's worth of R&D expertise, innovation, technology and did what others at headquarters would not dare to do- we made amazing fat tire ebikes out of it. With longer battery life, better built frames, and after-sales service surpassing the competition, ET.Cycle is here to stay.


## DIRECT TO YOU

ET.Cycle controls its vertical supply chain, therefore we can offer the highest quality bikes and components to you without the additional retail costs of many electric bike brands. We oversee our own R&D, procurement, manufacturing and sales - meaning we can deliver better designs, stronger components at a faster rate and provide the most competitive prices to our consumers. It's not easy. But it's smarter. Our frames, electronic components and motors are produced in our own production facilities to the highest German standards.

# ET.CYCLE - F Series

**BIG THINGS COME IN LITTLE PACKAGES. THIS ONE JUST GOT BIGGER** | Our Smallest Step Through, Foldable Frame, Powerful Drive System, Bold Design



















Electrcial pedal assist



# F1000 Electric Fat Tire Bike 20"

Embrace exploration with a fat tire e-bike built for bridging new frontiers. The F1000 now comes with a headlight that can be toggled through the Das-Kit display. Not only will you be able to keep the road in front of you lit-up, but you'll be easy to spot, keeping you safer than ever on the road or on the trails!

# F1000 ET.CYCLE - F Series

# Colors

Motor		Das-Kit, G20 Integrated rim motor, 48V 300W Continuous, 750W Peak, max speed 32km/h
Battery	<b>[</b>	Das-Kit, B1M-4821, Panasonic cells, 48V 21AH, 1008WH, with USB port
Controller		Das-Kit, CT6-FB, 48V 22A
Display		Das-Kit, C7, LCD, 6 levels
Charger	[f]	Das-Kit, DC483US, 48V 3A
Frame		Alu. 6061, 415mm, 20" fat wheels
Fork	P	RST, Guide-TNL 20, with hydraulic suspension and lock system
Brakes		F/R: Tektro HD-E350 hydraulic disc brake system with L&R brake sensors. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CF52A, 52T
Rear Derailleur	\$	L-TWOO, RD-V5008-M-2, 8 speed
Saddle	N. S.	Selle Royal, JUSTEK: 6534UEN
Tires		CST, CTC06, 20"x4.0
Range	#8	Up to 90 km when using throttle, up to 150 km with pedal assist
Net Weight (with battery)	\(\rangle \text{LBS}\)	34kg













48V, 15Ah, 720Wh



# F720 Electric Fat Tire Bike 20"

The 300W continuous Das-Kit motor and 20"x 4" CST fat tires will keep you rolling whether the ground beneath you is sand, asphalt, dirt, or even snow. The F-series' folding mechanism allows for easy transport and convenient storage. Take it anywhere, store it anywhere. The next-gen electric bike for next-gen riders. Your road is up to you!

# **F720** ET.CYCLE - F Series

# Colors

Motor		Das-Kit, G20 Integrated rim motor, 48V 300W Continuous, 750W Peak, max speed 32km/h
Battery	(111)	Das-Kit, B1M-4815, 48V 15AH, 720WH, with USB port
Controller		Das-Kit, CT6-FB, 48V 22A
Display	<b>E03</b>	Das-Kit, C7, LCD, 6 levels
Charger	[f]	Das-Kit, DC483US, 48V 3A
-rame	D	Alu. 6061, 415mm, 20" fat wheels
-ork	P	RST, Guide-T-20, with suspension
3rakes		F/R: Tektro, MD-M280 mechanical disc brake system with left brake sensor. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CF52A, 52T
Rear Derailleur	€§	L-TWOO, RD-V5008-M-2, 8 speed
Saddle		Selle Royal, JUSTEK: 6534UEN
Tires		CST, CTC06, 20" × 4.0
Range	#8	Up to 70 km when using throttle, up to 100 km with pedal assist
Net Weight with battery)	LBS	33 kg





# WHEEL SIZE 20"

# SUITABLE FOR RIDERS 157CM +

\*Sizing may vary for each individual. Please refer to the stand over height in the chart below to find the best fit for you.

# F720 / F1000 20"

Stand Over Height	50.8 cm
Wheel Base	114 cm
Frame Size	41.5 cm
. Min / Max Seat Height	84 - 103 cm
Reach	65 cm
Overall Length	170 cm









# ET.CYCLE - T Series

**THE ALL-TERRAIN BEAST** | Our Fattest Fat Bike, Powerful Drive System, Extremely Long Range, Bold Design





















# T1000 Electric Fat Tire Bike 26"

The fatbike for going the extra EXTRA mile.







Motor	-	Das-Kit, X 15F, rear hub motor, G26, 48V 300W, max speed 32km/h
Battery	<b>[</b>	Das-Kit, i5M-4821, Panasonic cells, 1008WH, with USB port
Controller		Das-Kit, CT5-i5, 48V 22A
Display		Das-Kit, C7, LCD, 6 levels
Charger	[jö	Das-Kit, DC483US, 48V 3A
Frame		Alu. 6061, 460mm, 26" fat wheels
Fork	A	RST, Guide-TNL 26, with hydraulic suspension and lock system
Brakes		F/R.: Tektro HD- E350 Hydraulic Disc Brake System with L&R Brake Sensors. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CT48A, 48T
Rear Derailleur	\$	L-TWOO, RD-V5008-M-2, 8 speed
Saddle		Selle Royal, JUSTEK: 6534UEN
Tires		CST, CTC06, 26" × 4.0
Range	<i>8</i> 8	Up to 90 km when using throttle, up to 150 km with pedal assist
Net Weight (with battery)	LBS	35.5 kg











Up to 32km/h

Up to 70 km

48V, 15Ah, 720Wh



# T720 Electric Fat Tire Bike 26"

Our T720 electric fat tire bike is designed to let you cruise safely down the road with an air of authority. Built with utility and style in mind, the front and rear luggage racks are perfect for those planning to go on long-distance rides or those that want to take their pets with them for a weekend excursion. Sand, snow, rugged trails, and rough city streets, the T-series handles terrain most e-bikes would find unforgiving.





Motor	-	Das-Kit, G26 rear hub motor, 48V 300W, max speed 32km/h
Battery	<b>[</b>	Das-Kit, i5M-4815, 48V 15AH, 720WH, with USB port
Controller		Das-Kit, CT5-i5, 48V 22A
Display	E03	Das-Kit, C7, LCD, 6 levels
Charger	[f]	Das-Kit, DC483US, 48V 3A
Frame	D	Alu. 6061, 460mm, 26" fat wheels
Fork	P	RST, Guide-T-26, with suspension
Brakes		F/R: Tektro, MD-M280 mechanical disc brake system with left brake sensor. F: 180mm rotor R: 180mm rotor
Crank		Das-Kit, CT48A, 48T
Rear Derailleur	É	L-TWOO, RD-V5008-M-2, 8 speed
Saddle		Selle Royal, JUSTEK: 6534UEN
Tires		CST, CTC06, 26" × 4.0
Range	#8	Up to 70 km when using throttle, up to 100 km with pedal assist
Net Weight (with battery)	LBS	34.5 kg

**T720** ET.CYCLE - T Series











# WHEEL SIZE 26"

# SUITABLE FOR RIDERS 170CM +

\*Sizing may vary for each individual. Please refer to the stand over height in the chart below to find the best fit for you.

# T720 / T1000 26"

A. Stand Over Height	66 cm
B. Wheel Base	114 cm
C. Frame Size	46 cm
D. Min / Max Seat Height	90 - 111 cm
E. Reach	43 cm
F. Overall Length	188 cm



# **SPECS OVERVIEW**

32 km/h

140 kg



ET.CYCLE F1000 20"

Das-Kit, G20 Integrated rim motor, 48V 300W, max speed



ET.CYCLE F720 20"

<<<

<<<



-□ Motor

### POR Display Das-Kit, C7, LCD, 6 levels <<< **Battery** Das-Kit, B1M-4821, 1008WH, 48V 21Ah, Panasonic Cells Das-Kit, B1M-4815, 48V 15AH, 720WH, with USB port Charger Das-Kit, DC483US, 48V 3A <<< # Range 150 km with pedal assist, 90 km with throttle 100 km with pedal assist, 70 km with throttle Top Assist Speed Up to 32km/h <<< Pedal Assistance Cadence Sensor <<< ✓ Frame Alu. 6061, 16 inches, 20" fat wheels <<< Fork RST, Guide-TNL 20, with hydraulic suspension and lock system RST, Guide-T-20, with suspension F/R.: Tektro, MD-M280 Mechanical Disc Brake System F/R.: Tektro HD-E350 Hydraulic Disc Brake System with L&R Brakes Brake Sensors. F: 180mm rotor R: 180mm rotor with Left brake sensor. F: 180mm rotor R: 180mm rotor Saddle Selle Royal <<< Selle Royal, JF510, Brown **→** Handle Grips **BICYCLE** <<< Tire PARTS CST, CTC06, 20×4.0 <<< Crank Das-Kit, CF52AA, 52T <<< Wellgo, F178, foldable pedal <<< ্ট্ৰি Freewheel 8 speed, 11-32T <<< Rear Derailleur L-TWOO, RD-V5008-M-2, 8 speed <<< Net weight (with battery) 34 kg 33 kg Battery Weight 5 kg <<< WEIGHT



**ET.CYCLE T1000 26"** 



**ET.CYCLE T720 26"** 

	<b>803</b>
	[##
ELECTRICAL PARTS	(F)
PARTS	#
	60
	D
	P
	T


## BICYC PART

8
(Ç
ર્દ્
E E
Á
1
đ

rical =	-[]	Motor	Das-Kit, G26 rear hub motor, 48V 300W, max speed 32km/h	<b>«</b> «
	503	Display	Das-Kit, C7, LCD, 6 levels	<b>~~</b>
	<b>[</b>	Battery	Das-Kit, i5M-4821, 1008WH, 48V 21Ah, Panasonic Cells	Das-Kit, i5M-4815, 48V 15AH, 720WH, with USB port
		Charger	Das-Kit, DC483US, 48V 3A	<b>~~</b>
	#B	Range	150 km with pedal assist, 90 km with throttle	100 km with pedal assist, 70 km with throttle
	128	Top Assist Speed	Up to 32km/h	<b>~~</b>
		Pedal Assistance	Cadence Sensor	<b>~~</b>
-	D	Frame	Alu. 6061, 460mm, 26" fat wheels	<b>***</b>
	P	Fork	RST, Guide-TNL 26, with hydraulic suspension and lock system	RST, Guide-T-26, with suspension
		Brakes	F/R.: Tektro HD-E350 Hydraulic Disc Brake System with L&R Brake Sensors. F: 180mm rotor R: 180mm rotor	F/R.: Tektro, MD-M280 Mechanical Disc Brake System with Left brake sensor. F: 180mm rotor R: 180mm rotor
	N	Saddle	Selle Royal	<b>~~</b>
CLE RTS	7	Handle Grips	Selle Royal, JF510, Brown	<b>***</b>
KI3	0	Tire	CST, CTC06, 26×4.0	<b>~~</b>
	<b>&amp;</b>	Crank	Das-Kit, CT48A, 48T	<b>~~</b>
	Œ	Pedal	Wellgo, F178, foldable pedal	<b>***</b>
	£	Freewheel	8 speed, 11-32T	<b>«</b>
	7	Rear Derailleur	L-TWOO, RD-V5008-M-2, 8 speed	<b>***</b>
	Las	Net weight (with battery)	35.5 kg	34.5 kg
GHT	( <del>****</del> )	Battery Weight	5 kg	4 kg
	(F)	Max Load	140 kg	<b>***</b>







# BECOME PART OF A STRONG COMMUNITY

Find us on social media to join a fun, friendly community of mobility enthusiasts. Share snaps of the scenery on your latest ride, learn how to get the most out of your new ebike, and be the first to learn all the latest news from ET.CYCLE.

(a) @et.cycle

**f** @etcycleofficial

www.etcycle.com

# **OUR SHOWROOMS**

## CANADA

## Vancouver

Contact +1 (236) 521-8444 Address 302 W 2nd Ave, Vancouver.BC V5Y 1C8

# USA

# Seattle

tt +1 (206) 707-1580 is 1400 NW 49th St, Seattle, WA 98107

# **AUSTRALIA**

## Melbourne

ntact +61 (03) 9069 5443 dress Unit3/45 LeakesRd, Laverton North VIC 3026

# Port Moody

Santa Monica

Contact

Perth

Contact

Contact

+1 (604) 917-0756 3030 St. John's Street, Port Moody, BC V3H 2C5

+1 (310) 310-2039

2803 Main St. Santa

Monica, CA 90405

+61 (08) 6230 3822

Unit 2/205 Camboon

Rd,Malaga WA 6090

# **GERMANY**

### Hanover

Contact +49 (89) 54549786 Address Calenberger Esplanade 2D. 30169 Hannover

# **FRANCE**

## Lille

Contact +33 3 20 43 21 47 Address 12 Rue de la Vieille Comédie 59800 Lille France

# Montreal

Contact +1 (514) 933-7382 Address 3467 Notre-Dame St W, Montreal,Quebec H4C 1P3

## Munich

Contact +49 (89) 54549786 Address Sendlinger Str. 7 80331 München

# **SPAIN**

## Barcelona

s Passatge del mar d'alboran 8, Local, 08918 Badalona



WWW.ETCYCLE.COM

# ADVENTURES WITH ATTITUDE

Powered By Das-Kit



