



We believe that an ebike offers everyone the chance to travel more easily, more freely, and more sustainably. By offering a range of ebikes that prioritizes high-quality engineering, accessible design and reliably powerful performance, we strive to unlock the potential of every rider and every journey.



# WE ARE NCM

Since NCM was founded in Hanover, Germany in 2014, we've been making ebikes that empower you with the range and reliability that you need to get to wherever you need to go.

Named after nickel, cobalt and mangan, the elements that together create an ebike battery, NCM ebikes offer nothing less than a whole new way to travel, inspired by Germany's passionate cycling culture, commitment to sustainability and demand for products that are built to last.









# GO FURTHER

Our ebikes are engineered from the ground up, with a focus on providing a ride that is strong, stable, and seamless. Equipped with our own Das-Kit drive and battery systems, NCM ebikes offer unparalleled distance per charge, giving you the freedom to go further.

Get ready to ride into a future of commuting, exercising, and traveling that is more convenient, more eco-friendly, and more thrilling than ever before.



# Powered By Das-Kit

With 15 years of experience and innovation in the ebike industry, Das-Kit batteries are engineered to power ebikes of all styles and sizes.

Empowered by continuous research and development, Das-Kit drive systems patented battery structures, smart BMS, and display consoles are powerful, compact and energy efficient. Combining exceptional performance with friendly and intuitive interfaces, our integrated one-cable system controllers and quick release connectors allow for effortlessly easy maintenance.



# **COMPACT BATTERIES, EPIC JOURNEYS**

A unique, patented cell structure design offers batteries that pack the highest distance per charge on the market.

## PEAK PERFORMANCE

Patented controller design with one-cable integration provides perfect thermal distribution, super-charging your drive systems performance and stability.

# HIGH TORQUE MOTORS

A combination of rear motors and torque sensors adds up a drive system that can seamlessly adapt to any situation. On or off-road, flat or uphill, the Das-Kit torque sensor and motor provide the perfect amount of pedal assist.

## 36V 300W



# X2 Motor

Rated Voltage 36V
Rated Power 300W
Torque Rating 50Nm
Weight 2.2kg

# -- 48V 300W



# X15 Motor

Rated Voltage 48V
Rated Power 300W
Torque Rating 60Nm
Weight 3.2kg


## 48V 300W --



# X16 Motor

Rated Voltage48VRated Power300WTorque Rating70NmWeight3.6kg

3







# T-SERIES

Our **T Series e-trekking bikes** are built for versatility, as at home on city streets as they are cruising through the countryside.

P11 - P16





# M-SERIES

Our M Series e-mountain bikes are engineered for sturdiness and longevity when tackling the tougher terrain that off-road riders crave.

P17 - P22





# **C-SERIES**

Our **C Series e-city bikes** are your reliable partner for commutes, light excursions and each and every ride around town.

P23 - P26






# **CRU-SERIES**

Our **Cru-Series e-cruiser bikes** make biking around town a breeze, built for casual rides around your neighborhood, along bicycle paths, and at the beach.

P27 - P28











# **CRUISE IN COMFORT**













UP TO 180KM



48V 20Ah, 960Wh

Das-Kit, i7-4820,





TORQUE PEDAL ASSIST



Battery

Our top-of-the-line step-through e-trekking bike, the NCM T7s is kitted out with the finest drive system and brake technology, including a torque sensor, to offer a sturdy, seamless ride that always delivers maximum range and performance.

#### BIKE COMPONENTS

Frame	Alu. 6061, 26"*430mm
	Alu. 6061, 28"*460mm
Suspension Fork	Suntour, NEX-HLO 26/28
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Arisun, H-5213E
Saddle	Selle Royal, FREEWAY
Stem	Promax, MA-579
Crank	DAS-KIT, 46T
Shifter	Shimano, Altus, R:SL-M315-8R,
	8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

#### ELECTRIC COMPONENTS

	48V20Ah, 960Wh
Hub Motor	Das-Kit, X15,
	300W
Controller	Das-Kit, T7, 48V 22A
Charger	Das-kit, 48V3A
Display	Das-Kit, C8, with USB
Front Light	DH002, 48V, 40 Lux
Rear Light	DR009, AAA*2
WEIGHT	
Net Weight (with ba	ittery) 30 KG
Battery Weight	5 KG
Max Load (driver+bil	ke) 140 KG

## Powered By Das-Kit







UP TO 150KM



**48V 16Ah, 768Wh** BATTERY





CADENCE PEDAL ASSIST



Balancing accessibility with superior specifications, the NCM T5s is a step-through e-trekking bike for riders that are eager to tackle longer routes alongside their daily rides and want an ebike with the range

#### BIKE COMPONENTS

Frame	Alu. 6061, 26"*430mm
	Alu. 6061, 28"*460mm
Suspension Fork	Suntour, NEX-HLO 26/28
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Schwalbe, Marathon/Big Be
Saddle	Selle Royal, FREEWAY
Stem	Promax. MA-579
Crank	Das-Kit, CT48A, 48T
Shifter	Shimano, Altus, R:SL-M315-8
	8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

<sup>\*</sup>NCM Milano Plus Model

and the integrity to help them do it.

#### ELECTRIC COMPONENTS

Battery	Das-Kit, i5-4816, 48V 16A	۸h,
	768Wh, with an USB Po	rt
Hub Motor	Das-Kit, X15,	
	48V 300W	
Controller	Das-Kit, CT-i5, 48V18A	
Charger	Das-Kit, 48V3A	
Display	Das-Kit, C7	
Front Light	Kendo, 48V, 30 Lux	
Rear Light	DR009, AAA*2	
WEIGHT		
Net Weight (with hattery) 27 K		· .

	768Wh, with an USB Po	ort
Hub Motor	Das-Kit, X15,	
	48V 300W	
Controller	Das-Kit, CT-i5, 48V18A	
Charger	Das-Kit, 48V3A	
Display	Das-Kit, C7	
Front Light	Kendo, 48V, 30 Lux	
Rear Light	DR009, AAA*2	
WEIGHT		
Net Weight (with	battery) 27 K	G
Battery Weight	4 K	G

140 KG



Max Load (driver+bike)









UP TO 100KM



48V 12Ah, 576Wh



300W





# NCM T3s

An exceptional entry point into the world of e-trekking bikes, the NCM T3s offers the chance to experience the smoothest city and countryside rides on an accessible step-through ebike engineered with high-quality components.

#### BIKE COMPONENTS

Frame	Alu. 6061, 26"*430mm
	Alu. 6061, 28"*460mm
Suspension Fork	Suntour, NEX 26/28
Brake	Disc Brakes
Freewheel	7 Speed, 14-28T
Tire	Arisun, H-5213E
Saddle	Selle Royal, FREEWAY
Stem	Promax. MA-579
Crank	Das-Kit, CT48A, 48T
Shifter	Shimano, Altus, R:SL-M315-7R,
	7 Speed
Derailleur	Shimano, Altus RD-M310
Chain	KMC, Z51

### ELECTRIC COMPONENTS

	48V 12Ah, 576Wh
Hub Motor	Das-Kit, X15,
	300W
Controller	Das-Kit, CT-i6, 48V18A
Charger	Das-Kit, 48V2A
Display	Das-Kit, L7
Front Light	DH002, 48V, 40 Lux
Rear Light	DR009, AAA*2

Das-Kit, i6-4812,

#### WEIGHT

Battery

Net Weight (with battery)	27 KG
Battery Weight	3 KG
Max Load (driver+bike)	140 KG

Powered By Das-Kit








# RIDE INTO ADVENTURE









**TORQUE** 

PEDAL ASSIST







48V 16Ah, 768Wh













UP TO 100KM



48V 12Ah, 576Wh BATTERY



300W



CADENCE





The NCM M7 e-mountain bike is master of its domain, perfected with the highest quality parts to offer maximum range and maximum resilience in the face of any trail, equipped with a torque sensor for a seamless ride no matter the terrain.

### BIKE COMPONENTS

Frame	Alu. 6061. 26"*460mm
	Alu. 6061. 27.5"*480mm
	,
	Alu. 6061, 29"*520mm
Suspension Fork	Suntour, XCM-HLO
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	Schwalbe, Black Jack / Smart S
Saddle	Selle Royal, Lookin-A200UR
Stem	Promax, Alu.MA-471
Crank	DAS-KIT, 46T
Shifter	Shimano, Altus, R:SL-M315-8R,
	8 Speed
Derailleur	Shimano, Acera, RD-M360
Chain	KMC, Z51

### **ELECTRIC COMPONENTS**

Battery Weight Max Load (driver+bike)

	Battery	Das-Kit, i7-4820,	
		48V 20Ah, 960W	n
	Hub Motor	Das-Kit, X15,	
		300W	
	Controller	Das-Kit, T7, 48V18	3A
	Charger	Das kit, 48V3A	
am	Display	Das-Kit, C8, with	USB
	Front Light	DH002, 48V, 40 L	ux
	WEIGHT		
	Net Weight (with b	attery) 27	'KG

Powered By Das-Kit

5 KG

125 KG

# NCM M5\*

An e-mountain bike equipped with high-end brake and drive systems, the NCM M5 is for adventurous riders who want to hit the trails comfortable in the knowledge that their ebike can handle whatever they throw at it.

#### BIKE COMPONENTS

riairie	Alu. 6061, 26 460111111	Dali
	Alu. 6061, 27.5"*480mm	
	Alu. 6061, 29"*520mm	Hub
Suspension Fork	Suntour, XCM-HLO	
Brake	Hydraulic Disc Brakes	Con
Freewheel	LY, 8 Speed, 11-32T	Cha
Tire	Schwalbe, Black Jack / Smart Sam	Disp
Saddle	Selle Royal, LOOKIN	
Stem	Promax, Alu.MA-471	
Crank	DAS-KIT, CM48, 48T/38T/28T	
Shifter Left	Shimano, Altus, F: SL-M315-L,	WE
	3 Speed	Net
Shifter Right	Shimano, Altus, R:SL-M315-8R,	Batt
	8 Speed	Max
Front Derailleur	Shimano, Altus, FD-M310	
Rear Derailleur	Shimano, Acera, RD-M360	Pow
Chain	KMC, Z51	

Alu 6061 26"\*460mm

#### \*NCM Moscow Plus Model

### ELECTRIC COMPONENTS

Battery	Das-Kit, i5-4816,
	48V 16Ah, 768Wh
Hub Motor	Das-Kit, X15,
	300W
Controller	Das-Kit, CT-i5, 48V 18A
Charger	Das-Kit, 48V3A
Display	Das-Kit, C7
2.sp.dy	Bab rac, or

## EIGHT

Net Weight (with battery)	26 K
Battery Weight	4 K
Max Load (driver+bike)	125 K

owered By Das-Kit

# NCM M3

An entry-level e-mountain bike that doesn't compromise on high-quality components, the NCM M3 is built to maintain its cool no matter what mountain trail it faces, balancing range and performance with accessibility and ease of use.

#### BIKE COMPONENTS

Frame	Alu. 6061, 26"*460mm
	Alu. 6061, 27.5"*480mm
	Alu. 6061, 29"*520mm
Suspension Fork	Suntour, XCT
Brake	Disc Brakes
Freewheel	7 Speed, 14-28T
Tire	Arisun Mount Cronos
Saddle	VELO, VL-3410
Stem	Promax, Alu.MA-471
Crank	DAS-KIT, CM48,28/38/48T
Shifter Left	Shimano, Altus, F: SL-M315-L,
	3 Speed
Shifter Right	Shimano, Altus, R:SL-M315-7R
	7 Speed
Front Derailleur	Shimano, Altus, FD-M313
Rear Derailleur	Shimano, Altus, RD-M310
Chain	KMC, Z51

#### ELECTRIC COMPONENTS

	48V 12Ah, 576Wh
Hub Motor	Das-Kit, X15,
	300W
Controller	Das-Kit, CT5-i6, 48V 18A
Charger	Das-Kit, 48V2A
Display	Das-Kit, L7
Front Light	DH002, 48V, 40 Lux

Das-Kit, i6-4812,

### WEIGHT

Net Weight (with battery)	26 KC
Battery Weight	3 KC
Max Load (driver+bike)	125 KC

Powered By Das-Kit









C-SERIES

Designed to take you from A to B

with ease.









**↓**|||||| **UP TO 120KM** RANGE



36V 14Ah, 504Wh





TORQUE PEDAL ASSIST



Fully equipped for exceptional performance and maximum range, the NCM C7 e-city bike, equipped with a torque sensor, transforms your cycling experience into something more convenient and more captivating, offering more distance, more power, and more versatility.

#### BIKE COMPONENTS

Frame	Alu. 6061,
	M: 520mm, L: 580mm
Suspension Fork	ZF, 5058-01
Brake	Hydraulic disc brake
Freewheel	LY, 8 Speed, 11-32T
Tire	CST, C-1953
Saddle	Selle Royal, A236URN
Stem	HP-HD75-8
Crank	Das-Kit, 42T
Shifter	LT-8 Speed
Derailleur	LT-8 Speed
Chain	KMC, Z51

#### ELECTRIC COMPONENTS

Battery	Das-Kit, i6-3614, 504WH
Hub Motor	Das-Kit, X2,
	300W
Controller	Das-Kit, T6, 36V15A
Charger	Das-Kit, 36V3A
Display	Das-Kit E2
Front Light	DH002E
Rear Light	DR004B

Net Weight (with battery)	22 KG
Battery Weight	3 KG
Max Load (driver+bike)	125 KG

Powered By Das-Kit









UP TO 80KM



**36V 12Ah, 432Wh** BATTERY





TORQUE PEDAL ASSIST

# NCM C5

Built for those that want to electrify their commute and experience a more convenient way to get around, the NCM C5 e-city bike makes your daily rides around town smoother, simpler and more fun than ever, fitted with a torque sensor for a seamless pedal feel and superior range.

#### BIKE COMPONENTS

Frame	Alu. 6061,
	M: 510mm, L:560mm
Suspension Fork	ZF, 5058-02
Brake	Dual pivot caliper Brakes
Freewheel	LY, 16T, Single Speed
Tire	CST, C1808
Saddle	Selle Royal, Prestige-1307URN
Stem	HP-HD75-8
Crank	Das-Kit, 46T
Chain	KMC, Z51

#### ELECTRIC COMPONENTS

Battery	Das-Kit, i6-3612, 432Wh
Hub Motor	Das-Kit, X2,
	300W
Controller	Das-Kit, T6, 36V15A
Charger	Das-Kit, 36V3A
Display	Das-Kit E2
Front Light	DH002E
Rear Light	DR004B

### WEIGHT

Net Weight (with battery)	18 K
Battery Weight	3 K
Max Load (driver+bike)	125 K

Powered By Das-Kit







NCM CRU7

Designed for gliding through city streets and effortlessly handling light trail journeys, the NCM Cru7 e-cruiser bike lets you sit back and relax safe in the knowledge that your ebike has you covered, powered along with exceptional design and components crafted for maximum range.

#### RIKE COMPONENTS

BIRE COMPONENTS	
Frame	Alu. 6061, 26"*480mm
Suspension Fork	RST, Guid-TNL-26,
	with hydraulic lock system
Brake	Hydraulic Disc Brakes
Freewheel	LY, 8 Speed, 11-32T
Tire	CST,C1779
Saddle	Selle Royal,Justek:6534
	UEN, Brown
Stem	Promax, MQ 579
Crank	Das-Kit, 46T
Shifter	Shimano, Tourney, 8 Speed
Derailleur	R: Shimano, Acera, RD-M360
Chain	KMC, Z51

Battery	Das-Kit, i7-4820,
	48V 20Ah, 960Wh
Hub Motor	Das-Kit, X15
	300W
Controller	Das-Kit, T7, 48V 18A
Charger	Das Kit, 48V3A
Display	Das-Kit, C8, with US
Front Light	DH006, 48V
Rear Light	DR009, AAA*2

ELECTRIC COMPONENTS

#### WEIGHT

Net Weight (with battery)	31 k
Battery Weight	5 k
Max Load (driver+bike)	140 k


















# SIZE GUIDE




T-SERIES	NCM	1 T7s	NCM T5s (N	vilano Plus)	NCM		
1-SERIES	26"	28"	26"	27.5"	26"	28"	
Standover/step-through height A	65.6	68.7	63.4	64	73	75	
Wheelbase B	107.5	110.1	108.5	109.3	107.5	109.8	
Frame Size C	43	46	44	48	43	46	cm
Min/Max Seat Height D	85 - 103	91.5 - 108	87 - 99.5	92 - 109	85 - 103	91.5 - 108	
Reach E	40.3	40	41.4	41.1	42	42	
Overall Length F	174.5	182.1	174.4	179.3	173	182	



C-SERIES		C5	C		
C-SERIES	М	L	М	L	
Standover/step-through height A	78	80	80	83.5	
Wheelbase B	104	105	106.2	108.2	
Frame Size C	51	56	52	58	cm
Min/Max Seat Height D	88 - 108	91 - 112	89 - 108	94 - 113	
Reach E	39	39	40.3	42.8	
Overall Length F	174	175	176.8	178.7	



M-SERIES	NCM M7			NCM M5 (Moscow Plus)		NCM M3			
WI-SERIES	26"	27.5"	29"	27.5"	29"	26"	27.5"	29"	
Standover/step-through height A	80	82	83	78	81.3	79	82	87	
Wheelbase B	108.2	110.5	114.5	110.3	110.9	110	114	116	
Frame Size C	46	48	52	48	52	46	48	52	cm
Min/Max Seat Height D	83 - 102	87 - 105	91.5 - 111	87.5 - 107	91.5 - 111.5	83 - 102	86 - 106	92 - 111	
Reach E	40.8	40	40.1	41.7	41	43	43	43	
Overall Length F	174	182	190	181.3	185.9	180	186	192	



CRU-SERIES	CRU7			
		26"		
Standover/step-through height	Α	83.5		
Wheelbase	В	122.8		
Frame Size	С	42.5	cm	
Min/Max Seat Height	D	86 - 97		
Reach	E	28.3		
Overall Length	F	189.5		

79



















			NCM C7	NCM C5	NCM M7	NCM M5 *NCM Moscow Plus Model	NCM M3	NCM T7s	<b>NCM T5s</b> *NCM Milano Plus Model	NCM T3s	Cru7
		-[]). Motor	Das-Kit , X2	<<<	Das-Kit, X16	Das-Kit , X15	<<<	Das-Kit , X15	Das-Kit , X15	<<<	Das-Kit , XI5
		Rated / Peak Motor output	300W	<<<	300W	250W	<<<	300W	300W	<b>&lt;</b> <<	250W
		Controller	T6, 36V15A	<<<	T7, 48V18A	CT5-i5, 48V18A	CT6-i6, 48V15A	T7, 48V18A	CT5-i5 48V18A	CT6-i6, 48V18A	T7, 48V18A
	(	Display	Das-Kit, E2	<<<	Das-Kit, C8, with USB	Das-Kit , C7	Das-Kit , L7	Das-Kit , C8, with USB	Das-Kit , C7	Das-Kit , L7	Das-Kit , C8, with USB
ELECT	RICAL	Battery	36V14Ah,504Wh	36V12Ah, 432Wh	48V 20Ah, 960Wh	48V 16Ah, 768Wh	48V 12Ah, 576Wh	48V 20Ah, 960Wh	48V 16Ah, 768Wh	48V 12Ah, 576Wh	48V 20Ah, 960Wh
PAF	RTS	Charger	36V3A	<<<	48V3A	48V3A	48V2A	48V3A	48V3A	48V2A	48V3A
1		Max torque	50Nm	<<<	55Nm	55Nm	<<<	55Nm	55Nm	<b>&lt;&lt;&lt;</b>	55Nm
		Range (Up to)	Up to 120km	100km	Up to 180km	Up to 150km	Up to 100km	Up to 180km	Up to 150km	Up to 100km	Up to 180km
		Top assist speed	32km/hr	<<<	32km/hr	32km/hr	<<<	32km/hr	32km/hr	<b>***</b>	32km/hr
		Pedal assistance	Torque Sensor	<<<	Torque Sensor	Cadence Sensor	<<<	Torque Sensor	Cadence Sensor	<<<	Torque Sensor
		Frame	Alu. 6061, M: 520mm, L: 580mm	Alu. 6061, M: 510mm, L: 560mm	Alu. 6061, 26**460mm/ 27.5**480mm/29**520mm	Alu. 6061, 26"*460mm / 27.5"*480mm / 29"*520mm	Alu. 6061, 26**460mm / 27.5**480mm / 29**520mm	Alu. 6061, 26**430mm/ 28**460mm	Alu. 6061, 26**440mm / 27.5**480mm	Alu. 6061, 26"*430mm / 28"*460mm	Alu. 6061, 26**480mm
		Fork	ZF, 5058-01, 27.5", rigid fork, PM	ZF, 5058-01, 27.5", rigid fork, PM	Suntour, XCM-HLO-26/27.5/29, with hydraulic lock system	<<<	<<<	Suntour, NEX-HLO 26/28	Suntour, NEX-HLO 26/28	Suntour, NEX-26/28, T: 2.5 inches	RST, Guid-TNL-26, with hydraulic lock system
		<b>Brakes</b>	F/R: Hydraulic Disc Brakes	F/R: Dual pivot caliper Brakes	F/R: Hydraulic Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Hydraulic Disc Brakes	F/R: Disc Brakes	F/R: Hydraulic Disc Brakes
	_	Saddle	Selle Royal A236URN	Selle Royal, Prestige-1307URN, Black	Selle Royal, Lookin-A200UR, Black	<<<	VELO, VL-3410, with "NCM" logo, Black	Selle Royal, FREEWAY, Brown	<<<	<b>&lt;&lt;&lt;</b>	Selle Royal,Justek:6534 UEN, Brown
BICY PAF	CLE RTS	<b>Tire</b>	CST,C-1953, 700*38c,Black	CST,C1808, 700*30c, Black	Schwalbe, Black Jack, 26**2.1 Smart Sam, 27.5**2.35/29**2.35, Black	<<<	Arisun Mount Cronos, 26*2.30/27.5*2.35/29*2.35, Black	Arisun, H-5213E, 26*2.15/28*2.0	Schwalbe, Marathon, 26"*2.0 Big Ben, 27.5"*2.0, Black	Arisun Mount Cronos, 26*2.30/27.5*2.35/29*2.35, Black	CST,C1779,26*2.15 Brown
_		Derailleur	R: LT-8 Speed, Black	/	R: Shimano, Acera, RD-M360	F: Shimano, Altus, FD-M310, R: Shimano, Acera, RD-M360	F: Shimano, Altus, FD-M313, R: Shimano, Altus, RD-M310	R: Shirmano, Acera, RD-M360	<<<	R: Shimano, Altus, RD-M310	R: Shimano, Acera, RD-M360
		Crank	Das-Kit, 42T, Black	Das-Kit, 46T, Black	Das-Kit, 52T, Black	Das-Kit, CM48,28/38/48T, Black	Das-Kit, CM48,28/38/48T, Black	Das-Kit, 46T, Black	Das-Kit, CT48A, 48T, Black	Das-Kit, CT48A, 48T, Black	Das-Kit, 52T, Black
•	(	Fenders	Front & Rear	1	/	/	/	Front & Rear	<<<	***	<b>&lt;</b> <<
		Rear Rack	Yes	1	/	/	/	Yes	<<<	<<<	<<<
		Net weight (with battery)	21kg	18kg	27kg	26kg	26" 25 kg   27.5" 25 kg   29" 26 kg	30kg	27kg	26 »26 kg,   28" 27 kg	31kg
WEI	GHT	Battery weight	3kg	3kg	5kg	4kg	<<<	5kg	4kg	<b>~~</b>	5kg
		Max Load (driver+bike)	125kg	<b>~~</b> <	125kg	<b>***</b>	<<<	140kg	<b>~~</b> <	<<<	140kg



# **WE RIDE TOGETHER**

Find us on social media to join a fun, friendly community of emobility enthusiasts. Share snaps of the scenery on your latest ride, learn how to get the most out of your new ebike, and be the first to learn all the latest news from NCM.







# **OUR SHOWROOMS**

#### VANCOUVER

USA

**SEATTLE** 

Contact

+1 (236) 521-8444 302 W 2nd Ave.

+1 (206) 707-1580

1400 NW 49th St, Seattle,

Vancouver, BC V5Y 1C8

# PORT MOODY

+1 (604) 917-0756 Address 3030 St. John's Street,

Port Moody, BC V3H 2C5

## **GERMANY**

MONTREAL

Contact

Address

### **HANOVER**

+49 511 999957 0 Contact Calenberger Esplanade 2D, 30169 Hannover

+1 (514) 933-7382

3467 Notre-Dame St W.

Montreal, Quebec H4C 1P3

# MUNICH Contact

+49 511 999957 0 Sendlinger Str. 7 80331 München

AUSTRALIA

# **FRANCE**

#### LILLE

+33 3 20 43 21 47 Contact 12 Rue de la Vieille Address Comédie, 59800 Lille,

France

## **SPAIN** BARCELONA

+34 644 643 835 Contact Passatge del mar Address

d'alboran 8, Local, 08918

Badalona

# CANADA

# Contact

### SANTA MONICA

+1 (310) 310-2039 Contact 2803 Main St, Santa Address Monica, CA 90405

# **AUSTRALIA**

WA 98107

### MELBOURNE

+61 (03) 9069 5443 Unit3/45 Leakes Rd, Laverton North VIC 3026

# PERTH

+61 (08) 6230 3822 Contact Unit 2/205 Camboon Rd, Address

Malaga WA 6090

